```
[Fig. 7]
```

- A Fall (crowning)
- B Distance from center D

[Fig. 11]

- A Generatrix
- B Crowning
- C Position from center
- D Ideal logarithmic shape

[Fig. 14]

- A Generatrix
- B Crowning
- C Position from center
- D Ideal logarithmic shape

[Fig. 16]

- A Generatrix
- B Crowning
- C Position from center
- D Ideal logarithmic shape


[Fig. 18]

- A Generatrix
- B Crowning


- C Position from center
- D Ideal logarithmic shape

Yuko KAMAMURA et al Q80982 SUPERFINISHING MACHINE, SUPERFINISHING METHOD, ROLLING ELEMENT AND ROLLING BEARING Filing Date: April 8, 2004 Darryly Mexic 202-293-7060

【書類名】図面 【図1】



Yuko KAMAMURA et al Q80982 SUPERFINISHING MACHINE, SUPERFINISHING METHOD, ROLLING ELEMENT AND ROLLING BEARING Filing Date: April 8, 2004 Darryly Mexic 202-293-7060 2 of 10



√Rw2


5b

5c


) 5a

Yuko KAMAMURA et al Q80982 SUPERFINISHING MACHINE, SUPERFINISHING METHOD, ROLLING ELEMENT AND ROLLING


BEARING
Filing Date: April 8, 2004
Darryly Mexic 202-293-7060
3 of 10



| 【図5】



Yuko KAMAMURA et al Q80982 SUPERFINISHING MACHINE, SUPERFINISHING METHOD, ROLLING ELEMENT AND ROLLING BEARING Filing Date: April 8, 2004 Darryly Mexic 202-293-7060 4 of 10



【図6】






Fig. 7


Yuko KAMAMURA et al Q80982 SUPERFINISHING MACHINE, SUPERFINISHING METHOD, ROLLING ELEMENT AND ROLLING BEARING Filing Date: April 8, 2004 Darryly Mexic 202-293-7060 5 of 10


-[図8] Fig &



Yuko KAMAMURA et al Q80982
SUPERFINISHING MACHINE, SUPERFINISHING
METHOD, ROLLING ELEMENT AND ROLLING
BEARING
Filing Date: April 8, 2004
Darryly Mexic 202-293-7060
6 of 10







BEARING Filing Date: April 8, 2004 Darryly Mexic 202-293-7060 【図12】 Fig. 12 8 of 10 2(3) Rr6 _【図13】 Fig. 13 (µm) { 20 10 0 15 (mm) 10 -【図-1-4-} 母線形状 R600 .R3400 -0.010 R9000 0.000 0.010 理想対数形状 ~ 口 0.020 0.030 -15.0 -5.0 0.0 -10.05.0 10.0 15.0

中心からの位置


d

Yuko KAMAMURA et al Q80982 SUPERFINISHING MACHINE, SUPERFINISHING METHOD, ROLLING ELEMENT AND ROLLING


Yuko KAMAMURA et al Q80982 SUPERFINISHING MACHINE, SUPERFINISHING METHOD, ROLLING ELEMENT AND ROLLING BEARING Filing Date: April 8, 2004 Darryly Mexic 202-293-7060 9 of 10

【图 1 5 】

Fig. 15



【図16】 Fig. 16 母線形状 R400 R200 R800 -0.005 R4500 0.000 クラウニング 0.005 理想対数形状 0.010 R2800 5.0 -3.0 -2.0 -1.0 0,0 2.0 3.0 4.0 中心からの位置 ط 【図17】 2(3)



Yuko KAMAMURA et al Q80982 SUPERFINISHING MACHINE, SUPERFINISHING METHOD, ROLLING ELEMENT AND ROLLING BEARING Filing Date: April 8, 2004 Darryly Mexic 202-293-7060 10 of 10

